

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
31 December 2003 (31.12.2003)

PCT

(10) International Publication Number
WO 2004/000912 A1

(51) International Patent Classification⁷: C08G 64/20,
64/02, 64/32, B01J 31/04

(21) International Application Number:
PCT/KR2003/001212

(22) International Filing Date: 19 June 2003 (19.06.2003)

(25) Filing Language: Korean

(26) Publication Language: English

(30) Priority Data:
10-2002-0034519 20 June 2002 (20.06.2002) KR

(71) Applicants (for all designated States except US): POSCO
[KR/KR]; 1, Goedong-dong, Nam-ku, 790-300 Pohang-
shi, Kyungsangbuk-do (KR). POSTECH FOUNDATION
[KR/KR]; San 31, Hyoja-dong, Nam-ku, 790-784 Pohang-
city, Kyungsangbuk-do (KR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): MOON, Seung-Jae

[KR/KR]; 5, Dongchon-dong, Nam-ku, 790-360 Po-
hang-city, Kyungsangbuk-do (KR). REE, Moon-Hor
[KR/KR]; San 31, Hyoja-dong, Nam-ku, 790-784 Po-
hang-city, Kyungsangbuk-do (KR). KIM, Jong-Sung
[KR/KR]; San 31, Hyoja-dong, Nam-ku, 790-784 Po-
hang-city, Kyungsangbuk-do (KR). KIM, Kie-Soo
[KR/KR]; San 31, Hyoja-dong, Nam-ku, 790-784 Po-
hang-city, Kyungsangbuk-do (KR).

(74) Agent: YOU ME PATENT & LAW FIRM; Teheran
Bldg., 825-33, Yoksam-dong, Kangnam-ku, Seoul 135-080
(KR).

(81) Designated States (national): CN, JP, US.


(84) Designated States (regional): European patent (AT, BE,
BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU,
IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: METHOD OF PREPARING CATALYST FOR POLYMERIZATION OF ALIPHATIC POLYCARBONATE AND
METHOD OF POLYMERIZING ALIPHATIC POLYCARBONATE USING SAME



(57) Abstract: Disclosed is a method of preparing a catalyst for polymerization of an aliphatic polycarbonate including oxidizing a dicarboxylic acid precursor and a zinc precursor under a pressurized condition, and a method for polymerizing the aliphatic polycarbonate.

BEST AVAILABLE COPY

METHOD OF PREPARING CATALYST FOR POLYMERIZATION OF ALIPHATIC
POLYCARBONATE AND METHOD OF POLYMERIZING ALIPHATIC
POLYCARBONATE USING SAME

BACKGROUND OF THE INVENTION

5 FIELD OF THE INVENTION

The present invention relates to a method for preparing a catalyst for polymerization of aliphatic polycarbonates and a method for polymerizing aliphatic polycarbonates using the catalyst, and more particularly, to a method for preparing a catalyst for polymerization of an aliphatic polycarbonate exhibiting high catalyst
10 activity.

BACKGROUND OF THE INVENTION

Carbon dioxide from industrial activities, among atmospheric pollutants, has been known as one reason for climatic change according to UNFCCC, so various studies to reduce the amount of carbon dioxide produced have been undertaken all
15 around the world. Therefore, in order to protect the environment and to use carbon dioxide, a method in which an epoxide reacts with carbon dioxide as a carbon source in the presence of a zinc-included catalyst to prepare an aliphatic polycarbonate has attracted attention.

The aliphatic polycarbonate is able to form a film or a particle, and has uses
20 in many areas such as for ceramic binders, evaporation mold, and adhesives. However, this method has a low yield because of low carbon dioxide reactivity. Accordingly, it is difficult to use industrially, so it is required to prepare a catalyst exhibiting high efficiency for increasing the yield of the aliphatic polycarbonate.

Inoue teaches a method of polycarbonate production from carbon dioxide
25 and epoxide in U.S. Patent No. 3,585,168.

The Inoue catalyst system was prepared by the reaction of a diethylzinc catalyst with materials containing active hydrogen compounds, e.g., water, dicarboxylic acid, or dihydric phenols, and the typical catalyst productivities ranged from 2.0 to 10.0 grams of polymer per gram of catalyst used. The catalyst has
30 shortcomings associated with use and storage, because of stability and sensitivity to moisture and to other catalyst poisons, and it has a low yield, so it has been required

to study other catalyst systems.

Zinc dicarboxylic acid esters (Polymer J. 13(4), 407(1981)) reported by Soga have also been described as effective catalysts for copolymerization of carbon dioxide and propylene oxide, and since these are stable materials with none of the handling problems associated with diethylzinc, they represent interesting candidates
5 for a practical commercial catalyst system.

Motika (U.S. Patent No. 5,026,676) teaches a method for preparing zinc dicarboxylic acid ester in which zinc oxide reacts with dicarboxylic acid in the presence of an organic solvent. Glutaric acid and adipic acid produced catalysts
10 with higher activity than the known zinc dicarboxylic acid ester catalysts, and the catalyst production is about 2 to 26 grams of the aliphatic polycarbonate per gram of catalyst.

It has been reported that zinc dicarboxylic acid ester can be prepared by using various zinc precursors and high crystallinity increases yield per gram of
15 catalyst (Ree. et al. J. Polym. Sci: Part A: Polym. Chem. 37, 1863 (1999)).

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a method of preparing a catalyst for polymerization of an aliphatic polycarbonate having high efficiency.

It is another object of the present invention to provide a method of
20 polymerizing an aliphatic polycarbonate using the catalyst, with a high yield.

These and other objects may be achieved by a method of preparing a catalyst for polymerization of an aliphatic polycarbonate, including oxidizing a dicarboxylic acid precursor and a zinc precursor under a pressurized condition.

In order to achieve these objects and others, the present invention provides
25 a method of polymerizing an aliphatic polycarbonate, including copolymerizing alkylene oxide and carbon dioxide in the presence of a catalyst prepared by oxidizing a dicarboxylic acid precursor and a zinc precursor under a pressurized condition.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGS. 1 and 2 are optical microscope photographs of a catalyst according to

Example 1 of the present invention; and


FIGS. 3 and 4 are SEM photographs of the catalyst according to Example 1 of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

5 The present invention relates to a method of preparing a zinc-included catalyst having good efficiency for preparing an aliphatic polycarbonate.

The inventive procedure includes oxidizing a dicarboxylic acid precursor and a zinc precursor under pressurized condition. One example of the procedure is shown in the following reaction formula 1. As shown in reaction formula 1, the
10 dicarboxylic acid precursor oxidizes under a pressurized condition, to prepare a complex of the compound with a zinc precursor (hydrothermal reaction)

(Reaction Formula 1)



where R is $(\text{CH}_2)_x$ and where x is an integer of 0 to 10, e.g., phenyl, or
15 naphthaloyl.

The useful zinc precursor may be anhydrous zinc acetate, zinc hydroxide, zinc nitrite, zinc perchlorate hexahydrate, zinc oxide, zinc sulfate, zinc acetate dihydrate or zinc nitrate hexahydrate. Preferred are zinc sulfate, zinc oxide, zinc perchlorate, zinc nitrite, zinc hydroxide, or zinc acetate dihydrate, which are readily
20 complex with ligands.

The dicarboxylic acid precursor may be a compound in which halogen, cyanide, aldehyde, or an anhydrous functional group are presented at both terminal sites, and examples are aliphatic compounds with dihydroxyl groups, aromatic groups with dihydroxyl groups, dihalogenated alkanes, dihalogenated aromatic
25 compounds, aliphatic compounds with dicyanide groups, aromatic dinitrile compounds, aliphatic compounds with di-amide groups or aliphatic compounds with dialdehyde groups.

Examples of the aliphatic compound are ethyleneglycol, propanediol, butanediol, pentanediol, hexanediol, octanediol, decandiol, or dodecandiol; and

examples of the aromatic compounds with dihydroxyl groups are 1,2-benzenedimethanol, 1,3-benzenedimethanol, 1,4-benzenedimethanol, 1,2-naphtalene dimethanol, 1,3-naphtalene dimethanol, 1,4-naphtalene dimethanol, 1,5-naphtalene dimethanol, 1,7-naphtalene dimethanol, 1,8-naphtalene dimethanol, 5 2,3-naphtalene dimethanol, 2,5-naphtalene dimethanol, 2,6-naphtalene dimethanol, or 2,7-naphtalene dimethanol. In addition, examples of the dihalogenated alkanes are 1,2-dibromoethane, 1,2-dichloroethane, 1,3-dibromopropane, 1,3-dichloropropane, 1,4-dibromobutane, 1,4-dichlorobutane, 1,5-dibromopentane, 1,5-dichloropentane, 1,6-dichlorohexane, 1,6-dibromohexane, 1,8-dibromooctane, 10 1,8-dichlorooctane, 1,10-dichlorodecane, or 1,10-dibromodecane; and examples of dihalogenated aromatic compounds are α,α' -dichloro-o-xylene, α,α' -dichloro-m-xylene, α,α' -dichloro-p-xylene, α,α' -dibromo-o-xylene, α,α' -dibromo-m-xylene, or α,α' -dibromo-p-xylene. Examples of the aliphatic compounds with dicyanide groups are oxalnonitrile, malononitrile, succinonitrile, 15 glutanonitrile, adiponitrile, 1,5-pentane dinitrile, 1,6-hexane dinitrile, 1,8-octane dinitrile, or 1,10-decane dinitrile; and examples of the aromatic dinitrile are 1,2-benzene dinitrile, 1,3-benzene dinitrile, 1,4-benzene dinitrile, 1,2-naphtalene dinitrile, 1,3-naphtalene dinitrile, 1,4-naphtalene dinitrile, 1,5-naphtalene dinitrile, 1,7-naphtalene dinitrile, 1,8-naphtalene dinitrile, 2,3-naphtalene dinitrile, 20 2,5-naphtalene dinitrile, 2,6-naphtalene dinitrile, or 2,7-naphtalene dinitrile. Examples of the aliphatic compounds with diamide groups are oxalic imide, malonic imide, succinic imide, glutamic imide, adipic imide, 1,5-diimide pentane, 1,6-diimide hexane, 1,8-diimide octane, or 1,10-diimide decane; and examples of the aliphatic compounds with dialdehyde groups are oxalic dialdehyde, malonic dialdehyde, 25 succinic dialdehyde, glutaryldialdehyde, adipic dialdehyde, 1,5-dialdehydepentane, 1,6-dialdehyde hexane, 1,8-dialdehydeoctane, or 1,10-dialdehyde decane.

The dicarboxylic acid precursor is more preferably pentanediol, hexanediol, 1,5-dibromopentane, 1,5-dichloropentane, 1,6-dichlorohexane, 1,6-dibromohexane, glutanonitrile, adiponitrile, glutamide, adipic amide, glutarylaldehyde, or adipic 30 aldehyde.

The equivalent ratio between the zinc precursor and the dicarboxylic acid

precursor is preferably 1 : 10 to 10 : 1, and more preferably 1 : 3 to 3 : 1. The oxidation is performed in water, preferably distilled water and the mixture is dissolved in water followed by addition to a pressurized reactor. The amount of the precursors is 0.1 to 50 volume % of water, and preferably 1 to 10 volume %.

5 Thereafter, the pressurized reactor is heated to a temperature between 120 and 180°C whereby the distilled water is vaporized. The heating is continued for 1 to 40 hours, and preferably 20 to 40 hours to prepare a zinc-included catalyst, zinc dicarboxylic acid ester. It is generally known that such a hydrothermal synthesis makes products with unique crystallinity which cannot be obtained from general
10 procedures.

 The resulting catalyst is washed to increase purity. The pressurized reactor is cooled to room temperature and filtered to obtain a transparent mono-crystal precipitated material followed by washing with distilled water and acetone several times. The product is dried in a vacuum drying oven at room temperature.

15 The inventive zinc dicarboxylic acid ester obtained from the procedure is single crystalline with a uniform surface structure derived from its regularly arranged inner structure. Such uniformity of the surface structure allows it to exhibit high catalytic activity to copolymerization of carbon dioxide and alkylene oxide when compared with the conventional catalyst. Furthermore, such a single crystal
20 renders preparation of aliphatic polycarbonates with constant yield and a narrow molecular-weight distribution during the copolymerization.

 The use of water has no shortcomings associated with the use of organic solvents such as toluene that is used in the conventional procedure, so that the inventive procedure is environmentally friendly.

25 In the application, a detailed description regarding the method of production of aliphatic polycarbonates using the zinc dicarboxylic acid ester is not required in order to perform the present invention, because it is well known in the related arts, but one embodiment will be briefly illustrated. The produced catalyst is pulverized and the pulverized catalyst is added to alkylene oxide. Thereafter, carbon dioxide
30 is injected into the mixture at a predetermined pressure (e.g. 300 psi) and the copolymerization occurs. When the copolymerization is completed, organic

solvents such as methylene chloride are added to the resulting material and the obtained mixture is washed with diluted hydrochloric acid solution several times. The washed mixture is then washed with distilled water several times and precipitation is performed using methanol. The precipitated material is dried in a vacuum drying oven at room temperature to prepare an aliphatic polycarbonate.

The copolymerization is performed in the absence of organic solvents or in the presence of organic solvents such as 1,4-dioxane, toluene, benzene, methylene chloride, or cyclohexane. If the copolymerization is performed in the absence of organic solvents, the alkylene oxide or aliphatic cyclic ester which does not participate in the copolymerization but remains, acts as the solvent. When the copolymerization is completed, the remaining alkylene oxide and aliphatic cyclic ester is recovered and is reused.

The produced aliphatic polycarbonate preferably has a molecular weight of 500 to 5×10^6 , which results in ready control of chemical or physical properties and forming properties.

The present invention is further explained in more detail with reference to the following examples, but the examples should not be construed as limiting the scope of the claimed invention.

<Example 1>

(Preparation of catalyst)

1g of zinc perchlorate hexahydrate and 0.25g of glutaronitrile were dissolved in 24 ml of distilled water. The resulting solution was injected into a pressurized reactor, the inside of which was treated with a Teflon film. The solution was held in the reactor at 160°C for 40 hours.

When the reaction was completed, the reactor was cooled to room temperature and the solution was filtered off to obtain a transparent crystal material as shown in FIGS. 1 to 4, followed by washing with distilled water and acetone three times or more. FIGS. 1 and 2 are optical microscope photographs of the resultant material and FIGS. 3 and 4 are SEM photographs thereof. It is evident from FIGS. 1 to 4 that the material has a transparent and shine crystal structure.

From the washed compound, residual solvent was removed under a

condition of 50°C/5mmHg to obtain 0.8g of a catalyst. The elemental analysis of the catalyst was as follows: C: 30.72%, H: 3.08%, O: 32.52%.

(Polymerization of aliphatic polycarbonate)

1g of the catalyst was placed in a pressurized reactor in a glove box under a
5 nitrogen atmosphere, and 100ml of propylene oxide was placed therewith.
Thereafter, the reactor was pressurized to 300 psi with carbon dioxide. The reacted
mixture was kept at 60°C for 40 hours.

When the reaction was completed, carbon dioxide was removed from the
reactant and methylene chloride was added thereto. The resulting material was
10 washed with diluted hydrochloride acid solution three times, and then with distilled
water to remove catalyst from the resulting material. Then, the material was
precipitated using methanol. The obtained precipitated material was filtered and
dried to obtain 50g of propylene carbonate polymer.

Analysis using an infrared ray and nuclear magnetic resonance indicated
15 that the polymer was a copolymer of propylene oxide and carbon dioxide with a 1 : 1
mole ratio.

<Examples 2~4>

A catalyst was prepared by the same procedure as in Example 1 except that
the reacted mixture was kept for times as shown in Table 1. The yields of the
20 catalyst are presented in Table 1.

Table 1

	Reaction time	Yield
Example 2	10 hours	23%
Example 3	20 hours	52%
Example 4	30 hours	67%

<Example 5>

A catalyst was prepared by the same procedure as in Example 1 except that

1g of zinc perchlorate hexahydrate and 0.5g of glutaronitrile were used to obtain 0.75g of zinc glutaric ester catalyst.

(Polymerization of propylene carbonate)

Using the catalyst, polymerization of propylene carbonate was performed by the same procedure as in Example 1 to obtain 41g of polymer.

<Example 6>

A catalyst was prepared by the same procedure as in Example 1 except that 0.29g of adiponitrile was used to obtain 0.71g of a zinc adipic ester catalyst.

(Polymerization of propylene carbonate)

Using the catalyst, polymerization of propylene carbonate was performed by the same procedure as in Example 1 to obtain 12g of polymer.

<Comparative Example 1>

A catalyst was prepared by the same procedure as in Example 1 except that the reaction temperature was kept at 110°C. In the procedure, a white powder was produced and the single crystalline product was not produced.

<Comparative Example 2>

A catalyst was prepared by the same procedure as in Example 1 except that zinc chloride as a zinc precursor was used. In the procedure, a white powder was produced and the single crystalline product was not produced.

<Comparative Example 3>

A catalyst was prepared by the same procedure as in Example 1 except that 20 ml of ethanol and 4 ml of distilled water were used. In the procedure, a white powder was produced and the single crystalline product was not produced.

It is predicted that when amorphous compounds according to Comparative Examples 1 to 3 are used to prepare aliphatic polycarbonate, the yield is lower than that according to Examples 1 to 6.

As described above, the method of the present invention can prepare a single crystalline catalyst of which high crystallinity allows an increase in the catalyst activity, and which is useful as a commercial catalyst for production of aliphatic polycarbonate, and the method is environmentally friendly without the use of organic solvent. The obtained polycarbonate can be formed as a film or particle, and it is

applied to a ceramic binder, an evaporation mold or a binder. In addition, the method uses carbon dioxide as a monomer so that atmospheric pollution and climate change due to carbon dioxide can be controlled.

What is claimed is:

1. A method of preparing a catalyst for polymerization of an aliphatic polycarbonate, comprising:
oxidizing a dicarboxylic acid precursor and a zinc precursor under a
5 pressurized condition in water.
2. The method of claim 1, wherein the equivalent ratio of the zinc precursor and the dicarboxylic acid precursor is 1 : 3 to 3 : 1.
3. The method of claim 1, wherein the oxidation is performed at a temperature between 120 and 180°C.
- 10 4. The method of claim 1, wherein the dicarboxylic acid precursor and the zinc precursor are respectively 0.1 to 50 volume % of water.
5. The method of claim 4, wherein the dicarboxylic acid precursor and the zinc precursor are respectively 1 to 10 volume % of water.
- 15 6. The method of claim 1, wherein the zinc precursor is selected from the group consisting of zinc acetate dihydrate, zinc hydroxide, zinc nitrate hexahydrate, zinc perchlorate hexahydrate, zinc oxide and zinc sulfate.
7. The method of claim 1, wherein the dicarboxylic acid precursor is selected from the group consisting of pentane diol, hexane diol, 1,5-dibromopentane, 1,5-dichloropentane, 1,6-dichlorohexane, 1,6-dibromohexane, glutanonitrile, adiponitrile, glutaimide, adipicimide, glutarylaldehyde, and adipicaldehyde.
20
8. A method of polymerizing an aliphatic polycarbonate, comprising:
copolymerizing alkylene oxide and carbon dioxide in the presence of a catalyst, the catalyst being prepared by oxidizing a dicarboxylic acid precursor and a zinc precursor under a pressurized condition in water.


1/4
Fig. 1



BEST AVAILABLE COPY

2/4


Fig. 2



BEST AVAILABLE COPY

3/4

Fig. 3



BEST AVAILABLE COPY

4/4

Fig. 4



BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

national application No.

PCT/KR03/01212

A. CLASSIFICATION OF SUBJECT MATTER

IPC7 C08G 64/20, C08G 64/02, C08G 64/32, B01J 31/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7 C08G 64/20, C08G 64/02, C08G 64/32, B01J 31/04

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
Korean Patents and applications for inventions since 1975Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
CA -on CD, PAJ, KIPASS**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4,783,445 A (ARCO CHEM CO.) 08 November 1988 see the whole documents	1 - 6, 8
Y	US 4, 981, 948 A (Mitsui Petrochemical Industries, Ltd) 01 January 1991 see the whole documents	1 - 6, 8
A	WO 99/11694 A1(BUNA SOW LEUNA OLEFINVERBUND GMBH) 11.March 1999 see the whole documents	1 - 8
A	US 4,960,862 A (Air Products and Chemicals, Inc.) 02 October 1990 see the whole documents	1 - 8
A	JP 2000-17067 A (MITSUBISHI GAS CHEM CO INC) 18 January 2000 see the whol documents	1 - 8

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family


Date of the actual completion of the international search

15 OCTOBER 2003 (15.10.2003)

Date of mailing of the international search report

15 OCTOBER 2003 (15.10.2003)

Name and mailing address of the ISA/KR

 Korean Intellectual Property Office
920 Dunsan-dong, Seo-gu, Daejeon 302-701,
Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

LEE, Suk Ju

Telephone No. 82-42-481-8149



INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/KR03/01212

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4,783,445 A	08.11.1988	None	
US 4,981,948 A	01.01.1991	EP 0358326 A1 EP 0358326 B1 JP 2047134 A2 JP 2732475 B2	14.03.1990 27.12.1996 16.02.1990 30.03.1998
WO 99/11694 A1	11.03.1999	EP 1012202 A1 DE 19737547 A1	28.06.2000 04.03.1999
US 4,960,862 A	02.10.1990	EP0393390 A1 JP2292328 A	24.10.1990 03.12.1990
JP 2000-17067 A	18.01.2000	None	